ELSEVIER

Journal of Organometallic Chemistry 540 (1997) 197

Journal of Organometallic Chemistry

Author Index of Volume 540

Abdul Malik, K.M., 27
Alvarez-Toledano, C., 41
Arce, A.J., 67

Bakos, J., 15
Baldovino, O., 41
Bellachioma, G., 7
Bildstein, B., 127
Bochkarev, M.N., 1
Böhme, U., 83
Bukowska-Strzyżewska, M., 169
Butler, I.R., 27

Caix, C., 105
Cardaci, G., 7
Carré, F., 175
Chardon-Noblat, S., 105
Chauhan, M., 175
Chuit, C., 175
Coles, S.J., 27
Corriu, R.J.P., 175

Deeming, A.J., 67
Deronzier, A., 105
De Sanctis, Y., 67
De Vries, J.G., 15
Dixit, S., 51
Dümichen, U., 89

Elsevier, C.J., 15
Emelyanova, N.S., 1
Espinoza, G., 41

Field, L.D., 95

García-Mellado, O., 41
Gelbrich, T., 89
George, A.V., 95
Grigsby, W.J., 185
Gutiérrez-Pérez, R., 41

Hambley, T.W., 95
Hariram, R., 155
Hassler, K., 113
Hecht, E., 89
Herzog, U., 119
Hobson, L.J., 27
Hockless, D.C.R., 147
Hradsky, A., 127
Humphrey, M.G., 147
Hursthouse, M.B., 27

Kang, H.-C., 189
Kaur, T.P., 51
Kaushal, J., 51
Köll, W., 113
Kopacka, H., 127
Kuang, S.-M., 55
Kumar Lahiri, G., 155
Kumar Santra, B., 155

Liable-Sands, L.M., 165
Lucas, N.T., 147

Macchioni, A., 7
Maggini, M., 61
Main, L., 185
Mak, T.C.W., 55
Malleier, R., 127
Manimaran, B., 165
Marton, D., 77
Massa, W., 189
Mathur, P., 165
Moutet, J.-C., 105
Munkir Hossain, Md., 165

Nicholson, B.K., 185

Okuda, J., 189
Ongania, K.-H., 127

Palitzsch, W., 83
Pandolfo, L., 61
Perera, M.P.S., 147
Reichenbach, G., 7
Reyé, C., 175
Rheingold, A.L., 165
Roewer, G., 83, 119

Shestakov, A.F., 1
Silver, J., 169
Smeets, W.J.J., 15
Spek, A.L., 15
Stivanello, D., 77
Struchkov, Yu.T., 1

Taden, I., 189
Tagliavini, G., 77
Thiele, K.-H., 89
Tingry, S., 105
Toscano, R.A., 41
Tosik, A., 169
Tóth, I., 15
Trifonov, A.A., 1
Trommer, K., 119
Turner, P., 95

Vasisht, S.K., 51

Wallace, B.J., 95
Wang, B.-Q., 101
Whittaker, C., 67
Whittall, I.R., 147
Williams, M.L., 147
Wu, B.-M., 55

Xu, S.-S., 101

Yap, G.P.A., 165

Zakharov, L.N., 1
Zakrzewski, J., 169
Zhang, Z.-Z., 55
Zhou, X.-Z., 101

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 540 (1997) 199–202

Journal of Organometallic Chemistry

Subject Index of Volume 540

Alkenes
Nickel-promoted coupling of orthomanganated aryl ketones with alkenes as a route to indanols (W.J. Grigsby, L. Main and B.K. Nicholson), 185
Alkylidene clusters
Synthesis and structural characterisation of a novel tris-methylene bridged compound $(NO)_4Fe_2Se(\mu\text{-}CH_2)_3$ (P. Mathur, B. Manimaran, Md. Munkir Hossain, A.L. Rheingold, L.M. Liable-Sands and G.P.A. Yap), 165
Alkynes
Reactivity of a two heteroatom stabilized anionic chromium (0) carbene complex towards a mono- and a disubstituted alkyne: new synthesis of γ-aminobutenolides and formation of a novel oligomer chromium (0) complex (C. Alvarez-Toledano, O. Baldovino, G. Espinoza, R.A. Toscano, R. Gutiérrez-Pérez and O. García-Mellado), 41
Allylbutyltin dichloride
Allylstannation of α-, β- and γ-diketones mediated by allylbutyltin halides: $Bu_2(CH_2{=}CHCH_2)SnCl$ and $Bu(CH_2{=}CHCH_2)SnCl_2$ (D. Marton, D. Stivanello and G. Tagliavini), 77
Allyldibutyltin chloride
Allylstannation of α-, β- and γ-diketones mediated by allylbutyltin halides: $Bu_2(CH_2{=}CHCH_2)SnCl$ and $Bu(CH_2{=}CHCH_2)SnCl_2$ (D. Marton, D. Stivanello and G. Tagliavini), 77
Allylstannation
Allylstannation of α-, β- and γ-diketones mediated by allylbutyltin halides: $Bu_2(CH_2{=}CHCH_2)SnCl$ and $Bu(CH_2{=}CHCH_2)SnCl_2$ (D. Marton, D. Stivanello and G. Tagliavini), 77
Aluminium
Dimethylaluminum and gallium amino alkoxides (K.-H. Thiele, E. Hecht, T. Gelbrich and U. Dümichen), 89
Aluminum
Aluminum complexes of sterically hindered tetradentate Schiff bases: synthesis, structure, and reactivity toward ε-caprolactone (I. Taden, H.-C. Kang, W. Massa and J. Okuda), 189
Amino alkoxide
Dimethylaluminum and gallium amino alkoxides (K.-H. Thiele, E. Hecht, T. Gelbrich and U. Dümichen), 89
γ-Aminobutenolides
Reactivity of a two heteroatom stabilized anionic chromium (0) carbene complex towards a mono- and a disubstituted alkyne: new synthesis of γ-aminobutenolides and formation of a novel oligomer chromium (0) complex (C. Alvarez-Toledano, O. Baldovino, G. Espinoza, R.A. Toscano, R. Gutiérrez-Pérez and O. García-Mellado), 41
Anionic carbene
Reactivity of a two heteroatom stabilized anionic chromium (0) carbene complex towards a mono- and a disubstituted alkyne: new synthesis of γ-aminobutenolides and formation of a novel oligomer chromium (0) complex (C. Alvarez-Toledano, O. Baldovino, G. Espinoza, R.A. Toscano, R. Gutiérrez-Pérez and O. García-Mellado), 41
Aryl ketones
Nickel-promoted coupling of orthomanganated aryl ketones with alkenes as a route to indanols (W.J. Grigsby, L. Main and B.K. Nicholson), 185
Asymmetric hydroformylation
Synthesis of Pt compounds containing chiral (2*S*,4*S*)-pentane-2,4-diyl-bis(5*H*-dibenzo[b]phosphindole) as ligand and their use in asymmetric hydroformylation of styrene derivatives (I. Tóth, C.J. Elsevier, J.G. De Vries, J. Bakos, W.J.J. Smeets and A.L. Spek), 15
Azaferrocene
^{57}Fe Mössbauer spectroscopic studies on $M(CO)_5$(azaferrocene) complexes (M = Cr, Mo, W). The crystal structures of $W(CO)_5$(azaferrocene) and $W(CO)_5$(2,5-dimethylazaferrocene) (J. Silver, J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 169
Benzotriazole
Studies of *N*-heterocyclic compounds with triosmium clusters: formation of the heterocyclic-linked dicluster compound $[Os_6(\mu\text{-}H)_2(\mu_3\text{-}C_6H_4N_3)_2(CO)_{18}]$ (A.J. Deeming, C. Whittaker, A.J. Arce and Y. De Sanctis), 67
Bis(trimethylsilyl)bis(trimethylstannyl)-2-phospha-2-tetrazene
Synthesis and characterization of sodium bis(trimethylstannyl)amide and bis(trimethylsilyl)bis(trimethylstannyl)-phospha-tetrazene (S.K. Vasisht, T.P. Kaur, J. Kaushal and S. Dixit), 51
Carbon–hydrogen bond activation
Studies of *N*-heterocyclic compounds with triosmium clusters: formation of the heterocyclic-linked dicluster compound $[Os_6(\mu\text{-}H)_2(\mu_3\text{-}C_6H_4N_3)_2(CO)_{18}]$ (A.J. Deeming, C. Whittaker, A.J. Arce and Y. De Sanctis), 67
Carbonyl
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147
Chalcogen
Synthesis and structural characterisation of a novel tris-methylene bridged compound $(NO)_4Fe_2Se(\mu\text{-}CH_2)_3$ (P. Mathur, B. Manimaran, Md. Munkir Hossain, A.L. Rheingold, L.M. Liable-Sands and G.P.A. Yap), 165
Characterization
Synthesis and characterization of sodium bis(trimethylstannyl)amide and bis(trimethylsilyl)bis(trimethylstannyl)-phospha-tetrazene (S.K. Vasisht, T.P. Kaur, J. Kaushal and S. Dixit), 51

Elsevier Science S.A.

Chiral aluminum complex
Aluminum complexes of sterically hindered tetradentate Schiff bases: synthesis, structure, and reactivity toward ε-caprolactone (I. Taden, H.-C. Kang, W. Massa and J. Okuda), 189
Chirality
Dimethylaluminum and gallium amino alkoxides (K.-H. Thiele, E. Hecht, T. Gelbrich and U. Dümichen), 89
Chromium
Reactivity of a two heteroatom stabilized anionic chromium (0) carbene complex towards a mono- and a disubstituted alkyne: new synthesis of γ-aminobutenolides and formation of a novel oligomer chromium (0) complex (C. Alvarez-Toledano, O. Baldovino, G. Espinoza, R.A. Toscano, R. Gutiérrez-Pérez and O. García-Mellado), 41
Cluster
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147
Clusters
Studies of *N*-heterocyclic compounds with triosmium clusters: formation of the heterocyclic-linked dicluster compound $[Os_6(\mu\text{-}H)_2(\mu_3\text{-}C_6H_4N_3)_2(CO)_{18}]$ (A.J. Deeming, C. Whittaker, A.J. Arce and Y. De Sanctis), 67
CO insertion
Equilibrium constants and kinetics of carbon monoxide insertion in alkyl complexes of ruthenium(II) (G. Bellachioma, G. Cardaci, A. Macchioni and G. Reichenbach), 7
Crystal structure
^{57}Fe Mössbauer spectroscopic studies on $M(CO)_5$(azaferrocene) complexes (M = Cr, Mo, W). The crystal structures of $W(CO)_5$(azaferrocene) and $W(CO)_5$(2,5-dimethylazaferrocene) (J. Silver, J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 169
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147
Synthesis of tetramethyldisilane-bridged bis(1-indenyl) tetracarbonyl di-iron: a novel thermal rearrangement reaction between the Si–Si and Fe–Fe bonds (B.-Q. Wang, S.-S. Xu and X.-Z. Zhou), 101
Cyclopentadienyl
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147

Dibenzophospholes
Synthesis of Pt compounds containing chiral (2*S*,4*S*)-pentane-2,4-diyl-bis(5*H*-dibenzo[b]phosphindole) as ligand and their use in asymmetric hydroformylation of styrene derivatives (I. Tóth, C.J. Elsevier, J.G. De Vries, J. Bakos, W.J.J. Smeets and A.L. Spek), 15
Diketones
Allylstannation of α-, β- and γ-diketones mediated by allylbutyltin halides: $Bu_2(CH_2{=}CHCH_2)SnCl$ and $Bu(CH_2{=}CHCH_2)SnCl_2$ (D. Marton, D. Stivanello and G. Tagliavini), 77
Diols
Allylstannation of α-, β- and γ-diketones mediated by allylbutyltin halides: $Bu_2(CH_2{=}CHCH_2)SnCl$ and $Bu(CH_2{=}CHCH_2)SnCl_2$ (D. Marton, D. Stivanello and G. Tagliavini), 77
Diphenylbutadiene
Diphenylbutadiene-bridged gadolinium complex $[GdCl_2(THF)_3]_2(\mu\text{-}Ph_2C_4H_4)\cdot 3THF$: the synthesis and crystal structure (N.S. Emelyanova, A.A. Trifonov, L.N. Zakharov, A.F. Shestakov, Yu.T. Struchkov and M.N. Bochkarev), 1
Disilanes
New olefinic functionalized disilanes. Synthesis and NMR spectroscopical investigations (K. Trommer, U. Herzog and G. Roewer), 119

Electrocatalysis
(Pentamethylcyclopentadienyl)(polypyridyl) rhodium and iridium complexes as electrocatalysts for the reduction of protons to dihydrogen and the hydrogenation of organics (C. Caix, S. Chardon-Noblat, A. Deronzier, J.-C. Moutet and S. Tingry), 105
Electrochemistry
Functionalized pentamethylferrocenes: synthesis, structure, and electrochemistry (B. Bildstein, A. Hradsky, H. Kopacka, R. Malleier and K.-H. Ongania), 127
Electron-transfer
Paramagnetic ruthenium(III) cyclometallated complex. Synthesis, spectroscopic studies and electron-transfer properties (R. Hariram, B. Kumar Santra and G. Kumar Lahiri), 155
Equilibrium constants
Equilibrium constants and kinetics of carbon monoxide insertion in alkyl complexes of ruthenium(II) (G. Bellachioma, G. Cardaci, A. Macchioni and G. Reichenbach), 7
2-(Ethylphenylphosphino)pyridine
Synthesis of Fe–M complexes (M = Mo, Mn, Fe, Co, Ni, Zn, Cd, Hg) using *trans*-$Fe(EtPhPpy)_2(CO)_3$ as an organometallic tridentate ligand. Molecular structures of $(CO)_3Fe(\mu\text{-}EtPhPpy)_2\text{-}Mo(CO)_3$ and $(CO)_3Fe(\mu\text{-}EtPhPpy)_2Cd(SCN)_2$ (EtPhPpy = 2-(ethylphenylphosphino)pyridine) (S.-M. Kuang, Z.-Z. Zhang, B.-M. Wu and T.C.W. Mak), 55

Fe–Fe bond
Synthesis of tetramethyldisilane-bridged bis(1-indenyl) tetracarbonyl di-iron: a novel thermal rearrangement reaction between the Si–Si and Fe–Fe bonds (B.-Q. Wang, S.-S. Xu and X.-Z. Zhou), 101
Ferrocene
Functionalized pentamethylferrocenes: synthesis, structure, and electrochemistry (B. Bildstein, A. Hradsky, H. Kopacka, R. Malleier and K.-H. Ongania), 127
Ferrocenylanthracene
Ferrocenyl anthracenes: synthesis and molecular structure (I.R. Butler, L.J. Hobson, S.J. Coles, M.B. Hursthouse and K.M. Abdul Malik), 27
Functionalized polypyrrole
(Pentamethylcyclopentadienyl)(polypyridyl) rhodium and iridium complexes as electrocatalysts for the reduction of protons to dihydrogen and the hydrogenation of organics (C. Caix, S. Chardon-Noblat, A. Deronzier, J.-C. Moutet and S. Tingry), 105

Gadolinium
Diphenylbutadiene-bridged gadolinium complex $[GdCl_2(THF)_3]_2(\mu\text{-}Ph_2C_4H_4)\cdot 3THF$: the synthesis and crystal structure (N.S. Emelyanova, A.A. Trifonov, L.N. Zakharov, A.F. Shestakov, Yu.T. Struchkov and M.N. Bochkarev), 1
Gallium
Dimethylaluminum and gallium amino alkoxides (K.-H. Thiele, E. Hecht, T. Gelbrich and U. Dümichen), 89

Heterodinuclear complex
Synthesis of Fe–M complexes (M = Mo, Mn, Fe, Co, Ni, Zn, Cd, Hg) using *trans*-$Fe(EtPhPpy)_2(CO)_3$ as an organometallic tridentate ligand. Molecular structures of $(CO)_3Fe(\mu\text{-}EtPhPpy)_2\text{-}Mo(CO)_3$ and $(CO)_3Fe(\mu\text{-}EtPhPpy)_2Cd(SCN)_2$ (EtPhPpy = 2-(ethylphenylphosphino)pyridine) (S.-M. Kuang, Z.-Z. Zhang, B.-M. Wu and T.C.W. Mak), 55

Hydrogenation
(Pentamethylcyclopentadienyl)(polypyridyl) rhodium and iridium complexes as electrocatalysts for the reduction of protons to dihydrogen and the hydrogenation of organics (C. Caix, S. Chardon-Noblat, A. Deronzier, J.-C. Moutet and S. Tingry), 105
Hydroxyketones
Allylstannation of α-, β- and γ-diketones mediated by allylbutyltin halides: $Bu_2(CH_2{=}CHCH_2)SnCl$ and $Bu(CH_2{=}CHCH_2)SnCl_2$ (D. Marton, D. Stivanello and G. Tagliavini), 77

Ibuprofen
Synthesis of Pt compounds containing chiral (2*S*,4*S*)-pentane-2,4-diyl-bis(5*H*-dibenzo[b]phosphindole) as ligand and their use in asymmetric hydroformylation of styrene derivatives (I. Tóth, C.J. Elsevier, J.G. De Vries, J. Bakos, W.J.J. Smeets and A.L. Spek), 15
Indazole
Studies of *N*-heterocyclic compounds with triosmium clusters: formation of the heterocyclic-linked dicluster compound $[Os_6(\mu\text{-}H)_2(\mu_3\text{-}C_6H_4N_3)_2(CO)_{18}]$ (A.J. Deeming, C. Whittaker, A.J. Arce and Y. De Sanctis), 67
Indenyl ligand
Synthesis of tetramethyldisilane-bridged bis(1-indenyl) tetracarbonyl di-iron: a novel thermal rearrangement reaction between the Si–Si and Fe–Fe bonds (B.-Q. Wang, S.-S. Xu and X.-Z. Zhou), 101
Iridium
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147
Iron
Functionalized pentamethylferrocenes: synthesis, structure, and electrochemistry (B. Bildstein, A. Hradsky, H. Kopacka, R. Malleier and K.-H. Ongania), 127
Synthesis and characterization of new oligosilane derivatives of iron and molybdenum (W. Palitzsch, U. Böhme and G. Roewer), 83

Mechanism
Equilibrium constants and kinetics of carbon monoxide insertion in alkyl complexes of ruthenium(II) (G. Bellachioma, G. Cardaci, A. Macchioni and G. Reichenbach), 7
Metallocycle
Metallocycle synthesis accelerated by high pressure (L.D. Field, A.V. George, T.W. Hambley, P. Turner and B.J. Wallace), 95
Modified electrodes
(Pentamethylcyclopentadienyl)(polypyridyl) rhodium and iridium complexes as electrocatalysts for the reduction of protons to dihydrogen and the hydrogenation of organics (C. Caix, S. Chardon-Noblat, A. Deronzier, J.-C. Moutet and S. Tingry), 105
Molecular structure
Synthesis of Fe–M complexes (M = Mo, Mn, Fe, Co, Ni, Zn, Cd, Hg) using *trans*-$Fe(EtPhPpy)_2(CO)_3$ as an organometallic tridentate ligand. Molecular structures of $(CO)_3Fe(\mu\text{-}EtPhPpy)_2Mo(CO)_3$ and $(CO)_3Fe(\mu\text{-}EtPhPpy)_2Cd(SCN)_2$ (EtPhPpy = 2-(ethylphenylphosphino)pyridine) (S.-M. Kuang, Z.-Z. Zhang, B.-M. Wu and T.C.W. Mak), 55
Molybdenum
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147
Synthesis and characterization of new oligosilane derivatives of iron and molybdenum (W. Palitzsch, U. Böhme and G. Roewer), 83

Olefinic functionalized disilanes
New olefinic functionalized disilanes. Synthesis and NMR spectroscopical investigations (K. Trommer, U. Herzog and G. Roewer), 119
Oligosilanes
Synthesis and characterization of new oligosilane derivatives of iron and molybdenum (W. Palitzsch, U. Böhme and G. Roewer), 83
Osmium
Studies of *N*-heterocyclic compounds with triosmium clusters: formation of the heterocyclic-linked dicluster compound $[Os_6(\mu\text{-}H)_2(\mu_3\text{-}C_6H_4N_3)_2(CO)_{18}]$ (A.J. Deeming, C. Whittaker, A.J. Arce and Y. De Sanctis), 67

Palladium
Ferrocenyl anthracenes: synthesis and molecular structure (I.R. Butler, L.J. Hobson, S.J. Coles, M.B. Hursthouse and K.M. Abdul Malik), 27
Pentamethylferrocene
Functionalized pentamethylferrocenes: synthesis, structure, and electrochemistry (B. Bildstein, A. Hradsky, H. Kopacka, R. Malleier and K.-H. Ongania), 127
Phosphine
Mixed-metal cluster chemistry VI: phosphine substitution at $CpMoIr_3(\mu\text{-}CO)_3(CO)_8$; X-ray crystal structure of $CpMoIr_3(\mu\text{-}CO)_3(CO)_7(PPh_3)$ (N.T. Lucas, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, M.P.S. Perera and M.L. Williams), 147
Platinum
Synthesis of Pt compounds containing chiral (2*S*,4*S*)-pentane-2,4-diyl-bis(5*H*-dibenzo[b]phosphindole) as ligand and their use in asymmetric hydroformylation of styrene derivatives (I. Tóth, C.J. Elsevier, J.G. De Vries, J. Bakos, W.J.J. Smeets and A.L. Spek), 15

Reductive elimination
Reaction of *trans*-$[Pt(H)_2(PCy_3)_2]$ with C_{60}. Reductive elimination of H_2 and formation of $[Pt(PCy_3)_2(\eta^2\text{-}C_{60})]$ (L. Pandolfo and M. Maggini), 61
Rhodium and iridium complexes
(Pentamethylcyclopentadienyl)(polypyridyl) rhodium and iridium complexes as electrocatalysts for the reduction of protons to dihydrogen and the hydrogenation of organics (C. Caix, S. Chardon-Noblat, A. Deronzier, J.-C. Moutet and S. Tingry), 105
Ring-opening polymerization of lactones
Aluminum complexes of sterically hindered tetradentate Schiff bases: synthesis, structure, and reactivity toward ε-caprolactone (I. Taden, H.-C. Kang, W. Massa and J. Okuda), 189
Ruthenium
Paramagnetic ruthenium(III) cyclometallated complex. Synthesis, spectroscopic studies and electron-transfer properties (R. Hariram, B. Kumar Santra and G. Kumar Lahiri), 155
Ruthenium complexes
Equilibrium constants and kinetics of carbon monoxide insertion in alkyl complexes of ruthenium(II) (G. Bellachioma, G. Cardaci, A. Macchioni and G. Reichenbach), 7

Schiff base
Aluminum complexes of sterically hindered tetradentate Schiff bases: synthesis, structure, and reactivity toward ε-caprolactone (I. Taden, H.-C. Kang, W. Massa and J. Okuda), 189
Silicon
Chlor-, Brom- und Iodtrisilane: Synthesen und ^{29}Si-Kernresonanzspektren (K. Hassler and W. Köll), 113
New olefinic functionalized disilanes. Synthesis and NMR spectroscopical investigations (K. Trommer, U. Herzog and G. Roewer), 119

^{29}Si-NMR-spectroscopy
Chlor-, Brom- und Iodtrisilane: Synthesen und ^{29}Si-Kernresonanzspektren (K. Hassler and W. Köll), 113
Sodium bis(trimethylstannyl)amide
Synthesis and characterization of sodium bis(trimethylstannyl)amide and bis(trimethylsilyl)bis(trimethylstannyl)-phospha-tetrazene (S.K. Vasisht, T.P. Kaur, J. Kaushal and S. Dixit), 51
Solvent effect
Influence of the solvent and of the counteranion on the structure of silyl cations stabilized by a terdentate aryldiamine ligand (F. Carré, M. Chauhan, C. Chuit, R.J.P. Corriu and C. Reyé), 175
Stabilized silyl cation
Influence of the solvent and of the counteranion on the structure of silyl cations stabilized by a terdentate aryldiamine ligand (F. Carré, M. Chauhan, C. Chuit, R.J.P. Corriu and C. Reyé), 175
Synthesis
Synthesis and characterization of sodium bis(trimethylstannyl)amide and bis(trimethylsilyl)bis(trimethylstannyl)-phospha-tetrazene (S.K. Vasisht, T.P. Kaur, J. Kaushal and S. Dixit), 51

Terdentate aryldiamine ligand
Influence of the solvent and of the counteranion on the structure of silyl cations stabilized by a terdentate aryldiamine ligand (F. Carré, M. Chauhan, C. Chuit, R.J.P. Corriu and C. Reyé), 175
Tetrachloroethylene
Reaction of *trans*-$[Pt(H)_2(PCy_3)_2]$ with C_{60}. Reductive elimination of H_2 and formation of $[Pt(PCy_3)_2(\eta^2\text{-}C_{60})]$ (L. Pandolfo and M. Maggini), 61
Thermal rearrangement
Synthesis of tetramethyldisilane-bridged bis(1-indenyl) tetracarbonyl di-iron: a novel thermal rearrangement reaction between the Si–Si and Fe–Fe bonds (B.-Q. Wang, S.-S. Xu and X.-Z. Zhou), 101
Transition metals
Metallocycle synthesis accelerated by high pressure (L.D. Field, A.V. George, T.W. Hambley, P. Turner and B.J. Wallace), 95
Transition metal silicon compounds
Synthesis and characterization of new oligosilane derivatives of iron and molybdenum (W. Palitzsch, U. Böhme and G. Roewer), 83
Trisilanes
Chlor-, Brom- und Iodtrisilane: Synthesen und ^{29}Si-Kernresonanzspektren (K. Hassler and W. Köll), 113

X-ray diffraction
Dimethylaluminum and gallium amino alkoxides (K.-H. Thiele, E. Hecht, T. Gelbrich and U. Dümichen), 89
Diphenylbutadiene-bridged gadolinium complex $[GdCl_2(THF)_3]_2(\mu\text{-}Ph_2C_4H_4)\cdot 3THF$: the synthesis and crystal structure (N.S. Emelyanova, A.A. Trifonov, L.N. Zakharov, A.F. Shestakov, Yu.T. Struchkov and M.N. Bochkarev), 1
X-ray structure
Functionalized pentamethylferrocenes: synthesis, structure, and electrochemistry (B. Bildstein, A. Hradsky, H. Kopacka, R. Malleier and K.-H. Ongania), 127